CONTENTS

Volume 32

Number 1, February 1986

Y. NISHIMURA, K. KANBE, and H. IIZUKA: Taxonomic studies of aerobic coccobacilli from seawater 1

Y. NAKAMURA, H. YOSHIMURA, T. YOSHINO, M. HIGASHI, T. HASE, K. YAMAGUCHI, and Y. MASAMUNE: Biological characters of palindromic DNA 13

M. YABUKI, K. MIZUSHINA, T. AMATATSU, A. ANDO, T. FUJII, M. SHIMADA, and M. YAMASHITA: Purification and characterization of chitinase and chitobiase produced by *Aeromonas hydrophila* subsp. *anaerogenes* A52 25

H. YOSHIKAWA, J. H. ELDER, and J. ITO: Comparative studies on the small *Bacillus* bacteriophages 39

D. KUMAR: Effects of amitrol on cyanobacterium *Nostoc linckia* 51

S. OKADA, W. DAENGSUBHA, T. UCHIMURA, N. OHARA, and M. KOZAKI: Flora of lactic acid bacteria in *Miang* produced in northern Thailand 57

T. SEKI, H. YOSHIKAWA, F. KAWAMURA, J. KAZAMI, and H. SAITO: The construction of single copy promoter-probe vectors for *Bacillus subtilis* 67

T. SEKI, H. MIYACHI, H. YOSHIKAWA, F. KAWAMURA, and H. SAITO: An improved method of prophage transformation in *Bacillus subtilis* 73

Number 2, April 1986

L. J. SINGH, D. N. TIWARI, and H. N. SINGH: Evidence for genetic control of herbicide resistance in a rice-field isolate of *Gloeocapsa* sp. capable of aerobic diazotrophy under photoautotrophic conditions 81

M. HAMAMOTO, J. SUGIYAMA, S. GOTO, and K. KOMAGATA: Numerical taxonomy based on the electrophoretic mobility of enzymes in the genera *Rhodosporidium*, *Cystofilobasidium*, and *Rhodotorula* 89

S. OGATA, K. FUJINO, S. YOSHINO, S. HAYASHIDA, and K. YUITA: Selective accumulation of iron ion into the cell wall of *Clostridium saccharoperbutylacetonicum* ATCC 13564 101

A. UEKI, K. MATSUDA, and C. OHTSUKI: Sulfate-reduction in the anaerobic digestion of animal waste 111

T. NAKASE and M. SUZUKI: *Bullera derxii* sp. nov. and *Bullera pseudoalba* sp. nov., isolated from dead leaves of *Oryza sativa* and *Miscanthus sinensis* 125

K. WATANABE, H. SHIMIZU, H. AIHARA, R. NAKAMURA, K. SUZUKI, and K. KOMAGATA: Isolation and identification of cholesterol-degrading *Rhodococcus* strains from food of animal origin and their cholesterol oxidase activities 137

T. NAKASE and M. SUZUKI: *Bullera intermedia* sp. nov. and *Sporobolomyces oryzicola* sp. nov. isolated from dead leaves of *Oryza sativa* 149

Y. YAMADA, M. WATANABE, M. AKITA, and I. BANNO: The electrophoretic comparison of enzymes in strains of species in the anamorphic yeast genera *Sterigmatomyces* and *Fellomyces* and in the teleomorphic yeast genus *Sterigmatosporidium* 157

Short Communication

M. SUZUKI and T. NAKASE: Heterogeneity of ubiquinone systems in the genus *Sporothrix* 165

CONTENTS

Volume 32

Number 1, February 1986

Y. NISHIMURA, K. KANBE, and H. IIZUKA: Taxonomic studies of aerobic coccobacilli from seawater 1

Y. NAKAMURA, H. YOSHIMURA, T. YOSHINO, M. HIGASHI, T. HASE, K. YAMAGUCHI, and Y. MASAMUNE: Biological characters of palindromic DNA 13

M. YABUKI, K. MIZUSHINA, T. AMATATSU, A. ANDO, T. FUJII, M. SHIMADA, and M. YAMASHITA: Purification and characterization of chitinase and chitobiase produced by *Aeromonas hydrophila* subsp. *anaerogenes* A52 25

H. YOSHIKAWA, J. H. ELDER, and J. ITO: Comparative studies on the small *Bacillus* bacteriophages 39

D. KUMAR: Effects of amitrol on cyanobacterium *Nostoc linckia* 51

S. OKADA, W. DAENGSUBHA, T. UCHIMURA, N. OHARA, and M. KOZAKI: Flora of lactic acid bacteria in *Miang* produced in northern Thailand 57

T. SEKI, H. YOSHIKAWA, F. KAWAMURA, J. KAZAMI, and H. SAITO: The construction of single copy promoter-probe vectors for *Bacillus subtilis* 67

T. SEKI, H. MIYACHI, H. YOSHIKAWA, F. KAWAMURA, and H. SAITO: An improved method of prophage transformation in *Bacillus subtilis* 73

Number 2, April 1986

L. J. SINGH, D. N. TIWARI, and H. N. SINGH: Evidence for genetic control of herbicide resistance in a rice-field isolate of *Gloeocapsa* sp. capable of aerobic diazotrophy under photoautotrophic conditions 81

M. HAMAMOTO, J. SUGIYAMA, S. GOTO, and K. KOMAGATA: Numerical taxonomy based on the electrophoretic mobility of enzymes in the genera *Rhodosporidium*, *Cystofilobasidium*, and *Rhodotorula* 89

S. OGATA, K. FUJINO, S. YOSHINO, S. HAYASHIDA, and K. YUITA: Selective accumulation of iron ion into the cell wall of *Clostridium saccharoperbutylacetonicum* ATCC 13564 101

A. UEKI, K. MATSUDA, and C. OHTSUKI: Sulfate-reduction in the anaerobic digestion of animal waste 111

T. NAKASE and M. SUZUKI: *Bullera derxii* sp. nov. and *Bullera pseudoalba* sp. nov., isolated from dead leaves of *Oryza sativa* and *Miscanthus sinensis* 125

K. WATANABE, H. SHIMIZU, H. AIHARA, R. NAKAMURA, K. SUZUKI, and K. KOMAGATA: Isolation and identification of cholesterol-degrading *Rhodococcus* strains from food of animal origin and their cholesterol oxidase activities 137

T. NAKASE and M. SUZUKI: *Bullera intermedia* sp. nov. and *Sporobolomyces oryzicola* sp. nov. isolated from dead leaves of *Oryza sativa* 149

Y. YAMADA, M. WATANABE, M. AKITA, and I. BANNO: The electrophoretic comparison of enzymes in strains of species in the anamorphic yeast genera *Sterigmatomyces* and *Fellomyces* and in the teleomorphic yeast genus *Sterigmatosporidium* 157

Short Communication

M. SUZUKI and T. NAKASE: Heterogeneity of ubiquinone systems in the genus *Sporothrix* 165

Number 3, June 1986

G. D. FERRONI, L. G. LEDUC, and M. TODD: Isolation and temperature characterization of psychrotrophic strains of *Thiobacillus ferrooxidans* from the environment of a uranium mine 169

Y. NISHIMURA, T. INO, and H. IIZUKA: Isolation and characterization of the outer membrane of radiation-resistant *Acinetobacter* sp. FO-1 177

C. von HUNOLSTEIN, P. VALENTI, P. VISCA, G. ANTONINI, L. NICOLINI, and N. ORSI: Production of laccases A and B by a mutant strain of *Trametes versicolor* 185

S. HATA, K. SHIRATA, and H. TAKAGISHI: Degradation of paraquat and diquat by the yeast *Lipomyces starkeyi* 193

Y. MAKI: Factors in habitat preference in situ of sulfur-turfs growing in hot springs effluents: Dissolved oxygen and current velocities 203

M. HAMAMOTO, J. SUGIYAMA, and K. KOMAGATA: DNA base composition of strains in the genera *Rhodosporidium*, *Cystofilobasidium*, and *Rhodotorula* determined by reversed-phase high-performance liquid chromatography 215

T. NAKASE and M. SUZUKI: *Bullera megalospora*, a new species of yeast forming large ballistospores isolated from dead leaves of *Oryza sativa*, *Miscanthus sinensis* and *Sasa* sp. in Japan 225

T. HARA, C. CHETANACHIT, Y. FUJIO, and S. UEDA: Distribution of plasmids in polyglutamate-producing *Bacillus* strains isolated from "Natto"-like fermented soybeans, "thua nao," in Thailand 241

T. NAKASE and M. SUZUKI: The ubiquinone system in strains of species in the ballistospore-forming yeast genera *Sporidiobolus*, *Sporobolomyces* and *Bullera* 251

Short Communication

Y. YAMADA: The coenzyme Q system in strains of species in the anamorphic yeast genus *Myxozyma* 259

Number 4, August 1986

T. N. BHAVANISHANKAR and V. S. MURTHY: Curcumin-induced alteration in the glucose metabolism of *Escherichia coli* 263

S. GOTO and H. TAKAMI: Classification of ascoideaceous yeasts based on the electrophoretic comparison of enzymes and coenzymes Q systems 271

T. KANDA, I. UNO, and T. ISHIKAWA: Detection of proteins synthesized in the cap cells of *Coprinus cinereus* 283

T. ISHIGAMI and Y. YAMADA: Purification and properties of polyphenol oxidase from *Chaetomium thermophile*, a thermophilic fungus 293

R. IRIE, T. OKAMOTO, and Y. FUJITA: Characterization and mapping of *Bacillus subtilis gerD* mutants 303

T. URAKAMI and K. KOMAGATA: Occurrence of isoprenoid compounds in gram-negative methanol-, methane-, and methylamine-utilizing bacteria 317

K. MATSUMOTO and H. HIROKAWA: Single-strand displacement replication of bacteriophage M2 DNA 343

N. NOPARATNARAPORN and S. NAGAI: Selection of *Rhodobacter sphaeroides* P47 as a useful source of single cell protein 351

Short Communications

K. NUNOMURA, K. KI-SOOK, and T. FUJITA: Calorimetric studies on microbial activities in relation to the water content of food 361

Y. YAMADA, K. AIZAWA, and I. BANNO: The coenzyme Q system and an electrophoretic

comparison of enzymes in the strain of the anamorphic yeast species, *Sterigmatomyces fuzhouensis* 367

Number 5, October 1986

J. P. GUIRAUD, J. BOURGI, N. CHABBERT, and P. GALZY: Fermentation of early-harvest Jerusalem Artichoke extracts by *Kluyveromyces fragilis* 371
I. A. SHKLAR-MCAULEY and G. D. FERRONI: Psychrophiles, psychrotrophs, and glucose mineralization in a lake with seasonal temperature fluctuations 383
H. YOSHIMURA, T. YOSHINO, T. HIROSE, Y. NAKAMURA, M. HIGASHI, T. HASE, K. YAMAGUCHI, H. HIROKAWA, and Y. MASAMUNE: Biological characteristics of palindromic DNA(II) 393
T. HASE, J. SAITO, M. HIGASHI, K. YAMAGUCHI, and Y. MASAMUNE: A derivative of plasmid λdv whose *pRoR-tof* is replaced by *lacPO-lacI* 405
T. NAGANUMA, Y. UZUKA, and K. TANAKA: Using inorganic elements to control cell growth and lipid accumulation in *Lipomyces starkeyi* 417
K. ISHIZAKI, A. NODA, E. OHTSUBO, and H. TAKEBE: Ultraviolet light-induced DNA sequence changes in a chloramphenicol resistance gene in *E. coli* cells 425
M. HIGASHI, M. HATA, T. HASE, K. YAMAGUCHI, and Y. MASAMUNE: The nucleotide sequence of *cea** and the region of origin of plasmid pKY-1 433

Short Communications

M. CHIKAMORI and R. M. JOHNSON: Taxonomic considerations regarding the effects of incubation temperature on esterase patterns in the strains of *Alteromonas luteoviolacea* 443
Y. YAMADA: *Holleya* gen. nov., an ascosporogenous yeast genus for the Q_9-equipped organism whose ascospores are needle-shaped with smoth surfaces in their anterior half and concentric ridges in their posterior half and without appendage 447

Number 6, December 1986

Y. SUWA and T. HATTORI: Cellular fatty acids and quinone systems of oligotrophic soil bacteria 451
H. OKUYAMA, N. FUKUNAGA, and S. SASAKI: Homeoviscous adaptation in a psychrophilic bacterium, *Vibrio* sp. strain ABE-1 473
H. OKUYAMA and S. SASAKI: Two groups of phosphatidylethanolamine in *Vibrio* sp. strain ABE-1 separated by silica gel thin-layer chromatography 483
S. J. UTSALO and S. MAIER: Growth patterns and hydrogen sulfide production by mixed cultures in a cellulose-based microcosm 491
J. ZIFFER: Ammonium acceleration of glycolysis in the ethanol fermentation in a high corn system 499
R. VALO and M. SALKINOJA-SALONEN: Microbial transformation of polychlorinated phenoxy phenols 505
B. COURTOIS, J. COURTOIS, A. HEYRAUD, and M. RINAUDO: Effect of biosynthesis conditions on the chemical composition of the water-soluble polysaccharides of fast-growing rhizobia 519
K. MIYAKE: Effect of nitrate on the level of superoxide dismutase in anaerobically grown *Escherichia coli* 527

Short Communications

G. TURIAN, D. BERNARDINI, and R. PEDUZZI: Parallel induction of a cytosolic malate-dehydrogenase isozyme (c-MDH_2) and conidiation in *Neurospora crassa* 535
T. KANDA and T. ISHIKAWA: Isolation of recessive developmental mutants in *Coprinus cinereus* 541
T. TACHIKI, H. SUZUKI. S. WAKISAKA, T. YANO, and T. TOCHIKURA: Production of γ-glutamylmethylamide and γ-glutamylethylamide by coupling of baker's yeast preparations and bacterial glutamine synthetase 545
M. Th. SMITH and W. H. BATENBURG-VAN DER VEGTE: Additional information on the ultrastructure in the genus *Sporothrix* 549